


helo

GENUINE SAUNA & STEAM

HELO RINGO



THE WELCOMING HEART OF A FAMILY SAUNA

The Ringo is a great-looking new sauna heater from Helo. It is high in quality yet sensibly priced. The Ringo heaters are designed for true sauna lovers. When a ladle of water is added to the hot sauna stones, a soft but firmly insistent steam is given off, thanks to the 70 kilos of natural stones supported within the heater's sturdy frame.

The Ringo is easy to install and a pleasure to use. It is a floor-standing heater with adjustable feet to ensure it stands level. A wall or bench fixing is then attached to ensure stability. The base panel incorporates the heater's clear and easy-to-use controls. The operation of the heater is controlled via a thermostat and a 12-hour timer, which includes a 9-hour pre-selection and a heating time of 0-3 hours.



HELO RINGO

YOU HAVE 3 RINGO MODELS TO CHOOSE FROM

There are three stylishly different models in the Helo Ringo collection. Choose between the elegant, standard Ringo, the Ringo Vario with its special detachable panels and the eye-catching Ringo Robust.

The Ringo Vario's detachable panels, fixed to the body of the heater, are designed to guide the heat in the desired directions. The stylish panels with their special black coating also give the heater a uniquely attractive appearance.

The heat-insulating detachable panels require a safety distance of just 30 mm, which means that the Vario can also be positioned near a wall or sauna bench.

Three detachable panels are supplied with the heater. Depending on the heater's position, the shape of your sauna room and the layout of the benches, you can leave one, two or three sides open on the heater.

EXAMPLE 1

Detachable panels (x 2) installed at front and back of the heater, directing the heat to the sides.



EXAMPLE 2

Detachable panels (x 3) installed at back and sides of the heater, directing the heat to the front.



The sturdy-looking Ringo Robust embodies design influences from a woodsman's log candle and a traditional style of campfire. Around the heater are eight brushed chrome steel 'chopped wood' uprights, whose matt surface provides a pleasant contrast to the bright body of the heater.

RINGO



RINGO VARIO



RINGO ROBUST



Product model and type	Power, kW	Size of sauna, m ³	ø x H, mm	Stones, kg	Minimum distances, mm around heater, ceiling
HELO RINGO 60 STJ	6.0	5 - 9	365 x 750	70	100, 1150
HELO RINGO 80 STJ	8.0	8 - 13	365 x 750	70	100, 1150
HELO RINGO VARIO 60 STJ	6.0	5 - 9	405 x 750	70	100 (30 where covered with panel), 1150
HELO RINGO VARIO 80 STJ	8.0	8 - 13	405 x 750	70	100 (30 where covered with panel), 1150
HELO RINGO ROBUST 60 STJ	6.0	5 - 9	397 x 760	70	100, 1150
HELO RINGO ROBUST 80 STJ	8.0	8 - 13	397 x 760	70	100, 1150

Helo dealers